



NU-COTE WATERGLOSS

Water-Based Gloss Finish

NU-COTE WATERGLOSS



Water-Based
Low VOC
Formaldehyde Free
Heavy-Metals Free
APEO Free

Premium exterior/ interior gloss finish (water-based)	
Standard Packing	1L & 5L (White Only) <i>1L & 5L available via Colour Waves™</i>
Colour	Ralston Inspiration Trend Colour 150 Your Style Collection
Application	Exterior and Interior
For use on	Wood trim paint; also on primed metal/ galvanised iron
• Low-VOC and heavy metal free • Reduced odour • Extreme quick drying • No messy clean-ups • Superior exterior durability (compared to conventional alkyd gloss finish) • Non yellowing • Will not crack easily • Fungus resistant • Better gloss retention	



NU-COTE WATERGLOSS

This is a high quality 100% acrylic water-based gloss finish. The formulation has low VOC, and is free from heavy metals gives you peace of mind when using this product. It is best used as a wood trim paint. It can also be applied onto primed metal, galvanized iron such as gutters and fencing. This **water-based** product features **low VOC**, **formaldehyde free**, **heavy-metals free** and **APEO free**, formulated with great care for your ease of mind when considering its effect to your health and the environment.

Colour	9102 White (standard colour) <i>Colours available via Colour Waves</i>	
Pack Size	1 and 5 litres	
Composition	<i>Binder</i>	Pure acrylic emulsion
	<i>Pigment</i>	Lightfast inorganic, organic pigments and mineral extenders
	<i>Solvent</i>	Water
Volume Solid	Average 40 ± 2%, varying with colours	
Recommended Dry Film thickness	30 – 50 microns (per coat)	
Drying Times *	<i>Touch Dry</i>	Within 1 hour
	<i>Hard Dry</i>	Within 2 hours
Full Cure *	3 – 4 weeks; Time for the coating to reach its full chemical/mechanical properties and will resist and perform as per the properties featured	
Over-coating Interval *	Minimum 3 hours	
Spreading Rate *	8 – 13 m ² /litre/coat (varies with roughness and porosity of substrate)	
Application	<i>Brush/Roller</i>	Use as is, thin not exceeding 5% by volume with water if necessary
	<i>Conventional Spray</i>	Thin with water to 20% by volume
	<i>Airless Spray</i>	Thin with water to 10% by volume
Surface Preparation	<u><i>New Unpainted Surface</i></u>	<u><i>Previous Painted Surface</i></u>
<i>Wood/Timber/Galvanised Iron</i>	Ensure surface is clean and dry	- Remove loose paint film by hard scraping/high pressure water jet - Ensure dry off before painting
<i>Metal/Mild Steel</i>	- Remove rust or mill scales by manual or mechanical cleaning - Ensure surface free from oil, grease and other contaminant	- Remove loose adhering paint - Remove debris, oil, grease or other contaminant before painting
Recommended Painting System	<u><i>Sequence</i></u>	<u><i>Product</i></u>
<i>Wood/Timber/Galvanised Iron</i>	Finish (2 coats)	NU-COTE WATERGLOSS
<i>Metal/Mild Steel</i>	Primer (1 coat)	NU-COTE GLOSS PRIMER
	Finish (2 coats)	NU-COTE WATERGLOSS

* Based on recommended thickness; will vary considerably with surface characteristics, application techniques, weather and wastage.

The corresponding Safety Data Sheet (SDS) for this product shall be provided upon request.

Further inquiry and SDS request can be made to transpaint@yungkong.com

Manufactured by: **Trans Paint Coatings Sdn Bhd**. Lot 1393, Jalan Meranti, Bintawa Industrial Estate, 93450 Kuching, Sarawak, Malaysia.

Tel: +6082 334 222 Fax: +6082 339 189 Website: www.transpaint.yungkong.com

While every care has been taken to ensure the accuracy of the information contained in this data sheet, it is provided in good faith and that no liability can be accepted arising from its use. Where the conditions of use warrant it, it is recommended that the data are checked to ensure their suitability for the use envisaged.

Revision: **6 NOV 2023**

<end of document>



TRANS[®]
P A I N T












**TREND
COLOUR
180**

BRINGS YOU QUALITY

www.transpaint.yungkong.com



BEAUTY.
NOT WITHOUT HUES.

				
● P14120	● P14330	● P13310	P12410	● P11110
				
● P14540	● P13720	● P13820	● P11310	P11220
				
● H04010	● P14130	● P13020	● P12320	P11320
				
● H03830	● P14140	● P13830	● P12520	P10840
				
● H04240	● P14150	● P13540	● P12330	P11240
				
● H04440	● P14560	● P13030	P12430	P11630
				
● G21930	● H03810	● P12840	● P12550	P11660
				
● G22250	● H03630	● P13560	● P12560	● H02370
				
● G22350	● G21950	● H03340	● H03030	P11620

● Preferred Exterior Colours

● Limited Outdoors Colours

 Vibrant/bright colours may need more than two coats to achieve satisfactory hiding.



	H01910		P11210		P08010		P10710		G23170
	H01930		P10620		P07810		P08710		P07210
	H02030		P09420		P07410		P08310		P08220
	H02040		P09440		P08330		P09010		P08320
	H02160		G18910		P07630		P06720		P07730
	G19740		G18930		P07130		P07120		P07940
	G19750		H01850		G18050		G18020		P07750
	H02840		G19130		G17450		G17660		G18030
	H03050		G19140		H00450		G18150		G18740






























● Preferred Exterior Colours

◐ Limited Outdoors Colours



The colours on this card are as close to actual paint colours as modern printing techniques will allow.



				
● P08610	● P10110	● G22870	● G23070	● P14810
				
● P09020	● P09320	● G22910	● P14310	● G22810
				
● P08030	● P09110	● G23110	● G23020	● G22820
				
● P07930	● P09220	● G22720	● G23030	● G22920
				
● P07840	● P09120	● G22930	● G22830	● G22860
				
● P07950	● P09230	● G23160	● G23040	● G21620
				
● P07150	● P07960	● G23140	● G22740	● G22840
				
● G18420	● P09160	● G22940	● G19360	● G22750
				
● G18040	● G18820	● G23050	● G22850	● G22950









● Preferred Exterior Colours

● Limited Outdoors Colours



Final colour appearance/perception may be affected by area, source of lighting and adjacent colours.



 P09620	 P06830	 P06210	 P05120	 P16630
 P08730	 P07540	 P05810	 P05330	 P16130
 P09930	 P07340	 P05630	 P05340	 P15750
 P10060	 H01330	 P06030	 H00710	 H04410
 H01720	 H01220	 P05840	 H00820	 P16660
 H01770	 H01230	 G17530	 H00430	 H04720
 H01520	 H00920	 G17620	 H00950	 H04730
 H01420	 H01140	 G17360	 H00730	 H04630
 H01440	 G18240	 G17950	 H00840	 G22460

● **Preferred Exterior Colours**

◐ **Limited Outdoors Colours**



For exterior application, choose from Preferred Exterior Colours or at least Limited Outdoors Colours to reduce premature colour fading.



P07120

P13540

P14560

P07130

P07340

P09420



COLOURS.
OUR CUP OF TEA.



Colour Waves™ Computerised Colour Tinting System is another innovative solution from **TRANS PAINT** which incorporates the trendsetting two base paints system into a computerised colour tinting dispenser that allows its users to explore the unlimited color possibilities for your lifestyle. Powered by the dedicated colorant technology from The Netherlands and combined with high quality base paints formulated for our local climate, the result is an exclusive range of products that is distinctively superior from its class in terms of brilliance in color, hiding power and other crucial paint properties.



Technology By
Ralston
 COLOUR & COATINGS
 The Netherlands



Trans Paint Coatings Sdn. Bhd. (197801000459)
 Lot 1393, Jalan Meranti, Bintawa Industrial Estate,
 93450 Kuching, Sarawak, East Malaysia.
 Tel. 6082-334 222/ 6082-334 166, Fax. 6082-339 189
www.transpaint.yungkong.com

