



**TOP RED OXIDE 308**  
*Economy Metal Primer*



## ***TOP RED OXIDE 308***

Economical multipurpose coating (solvent-based)

Standard Packing

1L, 5L & 18L

Colour



Glossy

Application

Interior only

For use on

Iron/ steel

- Cost-effective application
- Improved adhesion and durability

## TOP RED OXIDE 308

This is an economical multipurpose metal primer/coating for ferrous substrate both interior and exterior applications. It has good moisture resistant property.

<b>Colour</b>	Red Oxide	
<b>Pack Size</b>	1, 5 and 18 litres	
<b>Composition</b>	<i>Binder</i>	Hydrocarbon derivative
	<i>Pigment</i>	Iron oxide and inert mineral extenders
	<i>Solvent</i>	Hydrocarbon mixture
<b>Volume Solid</b>	65 ± 2%	
<b>Recommended Dry Film thickness</b>	35 – 45 microns (per coat)	
<b>Drying Times *</b>	<i>Touch Dry</i>	Within 2 hours
	<i>Hard Dry</i>	Within 6 hours
<b>Over-coating Interval *</b>	Minimum 12 hours	
<b>Spreading Rate *</b>	13 – 17 m <sup>2</sup> /litre/coat	
<b>Application</b>	<i>Brush/Roller</i>	Use as is, thin not exceeding 5% by volume with paint thinner or white spirit/mineral turpentine if necessary
	<i>Conventional Spray</i>	Thin with paint thinner or white spirit/mineral turpentine to 20% by volume
<b>Surface Preparation</b>	<u><i>New Unpainted Surface</i></u>	<u><i>Previous Painted Surface</i></u>
	<i>Metal/Mild Steel</i>	<ul style="list-style-type: none"> <li>Remove rust or mill scales by manual or mechanical cleaning</li> <li>Ensure surface free from oil, grease and other contaminant</li> </ul>

\* Based on recommended thickness; will vary considerably with surface characteristics, application techniques, weather and wastage.

The corresponding Safety Data Sheet (SDS) for this product shall be provided upon request.

Further inquiry and SDS request can be made to [transpaint@yungkong.com](mailto:transpaint@yungkong.com)

Manufactured by: **Trans Paint Coatings Sdn Bhd**. Lot 1393, Jalan Meranti, Bintawa Industrial Estate, 93450 Kuching, Sarawak, Malaysia.

Tel: +6082 334 222 Fax: +6082 339 189 Website: [www.transpaint.yungkong.com](http://www.transpaint.yungkong.com)

While every care has been taken to ensure the accuracy of the information contained in this data sheet, it is provided in good faith and that no liability can be accepted arising from its use. Where the conditions of use warrant it, it is recommended that the data are checked to ensure their suitability for the use envisaged.

Revision: **20 JUL 2023**

<end of document>




# INDUSTRIAL & PROTECTIVE COATINGS

**TRANS**<sup>®</sup>  
P A I N T

# Nu-Cote<sup>®</sup> Plus<sup>®</sup> SERIES



## PLUS ROAD LINE PAINT



White



Black



Yellow



PLUS Ind Zinc Phosphate Primer

# TOP SERIES



## TOP ROAD LINE PAINT



White



Black




Yellow



## TOP TRUCK & TRACTOR



Yellow



Black



TOP Aluminium 250



TOP Grey Green Oxide 437



TOP Red Oxide Glossy 308



TOP Black Oxide Glossy 144

## TOP MARINE & INDUSTRIAL FINISH




White



Black



Red Oxide



Grey



The colours on this card are as close to the actual colours as modern printing techniques allow.